St. Josephs NS

Updated Risk Assessments to minimise the risk of being exposed to Covid-19

The process involved consultation with all school staff.

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BOM in St. Josephs NS to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St Joseph's NS in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate Injury and damage to property		3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying
	If an incident were to occur, it would be likely	special maintenance. Activity should be halted and stopped until the
	that a permanent, debilitating injury or death	hazard is eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce
	If an incident were to occur, it would be likely	the risk. Risk reduction measures should be implemented urgently
	that an injury requiring medical treatment would	within a defined time period and it might be necessary to consider
	result.	suspending or restricting the activity or to apply interim control
		measures until this has been completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether
	If an incident were to occur, there would be	the risks can be lowered. Control measures must be monitored and
	some chance that an injury requiring First Aid	reviewed as required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or	No additional controls are necessary as these risks are considered
	Negligible of an incident were to occur, there would be little	acceptable. Activity should be regularly reviewed to ensure there is no
	likelihood that an injury would result	change to the risk rating and that controls are maintained.

*Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected?	Identified Risks	Risk Communication, Education and Training Controls	Risk Rating with controls	Action implementation
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Ensure that all staff receive necessary training prior to returning to work Provide posters, information and electronic message boards to increase 	Negligible	Board of Management Principal Staff

Assessment Date: Augus	set 2020 Revised: March 2021	Assessor's Name: Gearáid Nolan
(c) Risk Rating = (a) X (b)		11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
(b) Likelihood of event	1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable	6-10 Medium risk Requires monitoring
(a) Severity of risk/injury	1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality	1-5 Trivial risk Acceptable
Risk Level Calculation		Risk Level Action

Assessment Date:	August, 2020	Revised: March, 2021	Assessor's Name: Gearóid Nolan	•	
Who may be affected? Identified Risks		Hygiene		Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	appropriate santitisers (i.e. hand gel disschool. Staff should: Wash their hands properly and ofter After coughing or sneezing Before and after eating or preed Before and after using protect Before and after being on pub When arriving and leaving the After toilet use Cover their mouth and nose with and sneezing. Put used tissues into a bin and wash the Develop a routine of increased clobjects and surfaces The BoM will supply required cleaning product and storage of disinfectants and will ensure No employees are permitted to attend work of the Cough Fever (temperature of 37.5 degrees) Cough Shortness of breath Breathing difficulties Any Staff Member displaying symptoms days Any staff member living with someone we must restrict their movements for 14 days any Staff Member who has tested posideemed fit to do so and upon approval of	paring food ive gloves lic transport school campus a tissue or their sleeve when coughing their hands eaning and disinfecting of frequently touched oducts, will ensure the correct use re all products are stored safely and securely. Ork if they display any of the symptoms below: - ees or above) must self-isolate and not attend school for 14 tho is self-isolating or waiting for a Covid-19 test is tive for Covid-19 must not return to work until	Requires monitoring	Board of Management Principal Staff Visitors

(a) Severity of risk/injury 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality (b) Likelihood of event 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable (c) Risk Rating = (a) X (b)	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately
Assessment Date: August, 2020 Revised: March, 2021	Assessor's Name: Gearóid Nolan

Who may be affected?	Identified Risks	Hygiene Controls		Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Necessary PPE is available to staff ✓ Standard cleaning and maintenance regimes are put in place and detailed records of the Toilet facilities are cleaned regularly ✓ All drinking water facilities will be shut down ✓ Equipment sharing is minimised. Staff are encouraged not to share equipment ✓ There is regular cleaning of frequently touched surfaces and that staff are provides essential cleaning materials to keep their own work areas clean (for wipes/disinfection products, paper towels and waste bins/bags) ✓ All school equipment is sanitised— cleaning programmes to be devised to ensist shared equipment is cleaned and disinfected between use by different people ✓ Covid compliant work areasto be available where social distancing guidelines applied 	retained ded with example sure that s can be etc.) and y do not h day.	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculatio (a) Severity of risk/i (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=moderate, 4 ent 1=rare, 2=unlikely, 3=likely, 4=ve		iate further act		
Assessment Date:	August, 2020	Revised: March, 2021 <u>Assessor's Name</u> : Gearóid Nolan			

Who may be affected?	Identified Risks		Distancing	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	school, use of welfare facilities and while working in the school physical spacing (2 metres apart currently) for work stations and common spaces, such as entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of visitors might occur Break times will be staggered and school supervision procedures must be strictly adhered to Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds) Appropriate social distancing arangements will be in place throughout the facility Meetings of staff will take place online and by using teleconferencing facilities There is currently a strict no handshaking policy in place within the school All staff, contractors and visitors should avoid direct physical contact with any other persons as far as possible Assigning one SET to one class teacher where possible in order to minimise traffic through the classroom		Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/inju	 Loss of sense of taste or distortion of sense of taste Death 	health advice An exclusion zone for <2m work will be set used. Prior to donning appropriate PPE, staff will used.	stic sneeze guards c assessment (full face mask, gloves, etc) and public up pre task commencement	Serious	
(b) Likelihood of event 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable (c) Risk Rating = (a) X (b)		every likely, 5=inevitable	11-15 Severe risk Requires immediate further act 16-25 Emergency risk Halt activity and review immed		
Assessment Date: A	ugust, 2020	Revised: March, 2021	Assessor's Name: Gearóid Nolan		

Who may be affected?	Identified Risks		aning ontrols	Risk Rating with controls	Action implementation
Staff especially cleaning staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	items handled at work or during breaks have bring to work (e.g. mobile phones surfaces or they will need to clean the s Cleaning staff will be trained in the new Sufficient cleaning materials and PPE will Cleaning staff will be instructed to we need to wash their hands thoroughly wearing gloves System in place for the disposable of Current HSE guidance recommends was person suspected of having Covid-19 s area for 72 hours before being presented. System in place to make sure reusable non-disposable cloths are clean before.	conal items that have been brought to work and its. Staff advised to clean personal items that they is and to avoid leaving them down on communal surface after the personal item is removed in cleaning arrangements for the school ill be available to allow for increased cleaning ear gloves when cleaning and are aware of the with soap and water, both before and after cleaning cloths and used wipes in a rubbish bag aste such as cleaning waste, tissues etc. from a hould be double bagged and stored in a secure ed for general waste collection in cleaning equipment including mop heads and re-use ment such as buckets are emptied and cleaned	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol	
<u>Assessment Date</u> :	August, 2020	Revised: March, 2021	Assessor's Name: Gearóid Nolan		

Who may be affected?	Identified Risks	Office and administration areas	Risk Rating	Action implementation
unecteu.	identified Hisks	Controls	with controls	Action implementation

Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death	between designated workstations and s	o work in an office at any particular time shall be to protect health and safety.	Requires monitoring	Board of Management Principal Administration staff
	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date: August, 2020 R	Revised; March, 2021	Assessor's Name: Gearóid Nolan		

Who may be	Identified Risks	Use of PPE	Risk Rating	Action implementation
------------	------------------	------------	-------------	-----------------------

affected?		Co	ntrols	with controls	
Staff	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	plastic barriers or Perspex screens etc. may identified risks of spread of the virus. Where PPE is required by staff, they will be necessary PPE and provided with training storage and disposal of PPE. PPE needs to be consistently and properly regularly inspected, cleaned, maintained and PPE will not be required to be worn woccupational and public health guidance. Current general guidance from the HSE in roand gloves is avail Link: https://www2.hse.ie/conditions/coron Face masks will be provided to all staff and updated?? Gloves are not required generally within the	elation to the wearing of face coverings, masks lable at the following avirus/face-masks-disposable-gloves.html are available for optional use. ###has this been workplace for infection prevention and control to the risks associated with the usage of gloves, ng gloves to staff for general use.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol	
Assessment Date:	August, 2020	Revised: March, 2021	<u>Assessor's Name</u> : Gearóid Nolan		

Who may be affected?	Identified Risks		r resources during Covid-19	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 (book rental scheme) and other reso so that these will be available to pup The following guidelines are recon assisting in compiling resource packs: Maintain physical distancing (or before a considered packs) Observe good hygiene (hand not touch your eyes, nose, more and after handling books and or before a covid-19 Any books or other items (returned to the school she appeared to the school she appeared with the time and data period. These boxes should from active work areas within 	washing and respiratory etiquette, do both with unwashed hands, etc.) before other materials returned to the school cocols if you are displaying symptoms of resource packs, computers, etc.) being could be quarantined for 72 hours. These items in sealed boxes that are the of the start of the 72-hour quarantine be stored in a separate location away the school 2-hour quarantine period the items may pared for the next school year	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable			Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
<u>Assessment Date</u> :	August, 2020	Revised: March, 2021	<u>Assessor's Name</u> : Gearóid Nolan		

Who may be affected?	Identified Risks			Risk Rating	Action implementation
anecteur	identined Risks	Co	with controls	Action implementation	
All staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Staff must wear the appropriate P undertaking ✓ All tools and equipment must be proposed. ✓ Arrangements should be put in plate equipment and machinery as far as is ✓ Cleaning material will be wiped down with disinfectant between 	PE for the nature of the work that they are verly sanitised to prevent cross contamination ace for one individual to use the same tool, reasonably practicable vailable so that all tools can	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a) Assessment Date:	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik X (b)	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in Assessor's Name: Gearóid Nolan		ntrol	

Who may be affected?	Identified Risks			Risk Rating	Action implementation
anecteur	identified Risks			with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	designated isolation area via the isolation ro the symptomatic person and also making s least 2 metres from the symptomatic person Provide a mask for the person presenting v	within the school building. The designated should be easily accessible and as far as is coessible by people with disabilities. The n displaying signs of Covid-19 needs to be reas available or another contingency plan planned. It would be important that the he person behind a closed door and away collowing procedure is to be implemented: In place to accompany the individual to the route, keeping at least 2 metres away from sure that others maintain a distance of at at all times. With symptoms if one is available. He/she ea with other people or while exiting the ving symptoms can immediately be directed us self-isolation at home. It would be given to the person mouth and nose with the disposable tissue	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		derate, 4=major, 5=fatality 1-5 ely, 4=very likely, 5=inevitable 6-10 11-1	 Level Action Trivial risk Acceptable Medium risk Requires monitoring Severe risk Requires immediate furthe Emergency risk Halt activity and review im 		ntrol
Assessment Date:	August, 2020	Revised: March, 2021 Asse	essor's Name: Gearóid Nolan		

affected?		Co	ontrols	with controls	
Staff Pupils Visitors Contractors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 a family member, as soon as poss practitioner by phone of their symptoused If they are too unwell to go home or a them that the sick person is a Covid-1 	ent which will form part of determining follow-		Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable			Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
<u>Assessment Date</u> :	August, 2020	Revised: March, 2021	Assessor's Name: Gearóid Nolan		

Pupils Visitors Perso most they o	_	All cleaning will be undertaken in line with Di It is recommended to clean an area with normal household di	sinfectant after asuspected coronavirus (Covi	with controls	Action implementation Board of Management Principal Cleaning staff
Pupils Visitors Perso most they o	sons currently deemed st at risk of complications if y catch the coronavirus are: 0 years of age and over have long-term medical	✓ It is recommended to clean an area with normal household di d-19) case. This will reduce the risk of p	sinfectant after asuspected coronavirus (Covi		Principal
cough • Sh breat • Loss • Los	ssure, diabetes or cancer regnant women own effects of the onavirus: fever (high temperature of degrees Celsius or above) a cough - this can be any d of cough, not just a dry gh Shortness of breath or athing difficulties oss of sense of taste or ortion of sense of taste	 For cleaning purposes, wear a face mash should be double-bagged, then stored regular rubbish after cleaning is finished should be double-bagged, Using a disposable cloth, first clean hard disinfect these surfaces with the cleaniattention to frequently touched areas stairwells and door handles If an area has been heavily contaminate person with coronavirus (Covid-19) co and nose, as well as wearing gloves and Wash hands regularly with soap and wa aprons and other protection used while Public areas where a symptomatic indivitime, such as corridors, but which are ube cleaned as normal All surfaces that the symptomatic person 	cure for 72 hours (if possible) for cleaning as ill have reduced significantly by 72 hours ill have reduced significantly by 72 hours it, disposable or washing up gloves. These securely for 72 hours and then put with the surfaces with warm soapy water. Then ing products you normally use. Pay particular and surfaces, such as toilets, banisters on it, such as with visible bodily fluids, from a insider using protection for the eyes, mouth apron ter for 20 seconds and after removing gloves, cleaning it dual has passed through and spent minimal not visibly contaminated with body fluids can	Serious Requires monitoring	
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) Assessment Date: August, 2020 Revised: March, 2021		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in Assessor's Name: Gearóid Nolan		ntrol	

Who may be affected?	Identified Risks			Risk Rating	Action implementation
affecteu:	identified Risks			with controls	Action implementation
Staff Pupils Visitors	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	floors, chairs, door handles and sanitary fitting and disinfectant in line with the manufacontact times Disinfectants used should be effective against Additionally: Avoid creating splashes and spray when clear Any cloths and mop heads used must be discoutlined below. When items cannot be cleaned using det mattresses for example) steam cleaning should have been heavily contaminativashing should be disposed of	cosable mop heads to clean all hard surface and surface and surface and recognised deterge cturer's instructions for dilution, application and st viruses. In this is the surface of the surface and should be put into waste bags are gents or laundered (upholstered furniture all did be used the surface of t	Serious Requires monitoring	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review in		ntrol	
Assessment Date:	August, 2020	Revised: March, 2021	Assessor's Name: Gearóid Nolan		

Who may be affected?	Identified Risks	Cleaning a space with a suspected/confirmed case of		Action implementation
arrecteu:	identified Risks	Covid-19 (continued)	with controls	Action implementation

		C	Controls		
Staff Pupils Visitors	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	water setting and dry items company an unwell person can be washed laundry as this minimises the positive. Clean and disinfect anything used in line with the cleaning guidance. Waste Management Waste should be put in a plastic rown the plastic bag should then be played in the played in a suitable and individual's test results are known all waste should be stored safely waste in communal waste areas has been stored for at least 72 hours of the individual tests negative, the individual tests positive, then stowaste	ubbish bag and tied when full aced in a second bin bag and tied secure place and marked for storage until the n and kept away from children. You should not put until negative test results are known or the waste	Serious Requires monitoring	Board of Management Principal Cleaning staff
(a) Severity of risk/i (b) Likelihood of eve	Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	March, 2021	Assessor's Name: Gearóid Nolan		

Who may be affected?	Identified Risks	Travel to and from work	Risk Rating	Action implementation
ancetea.		Controls	with controls	

	 they catch the coronavirus are: 60 years of age and over have long-term medical conditions – i.e. heart disease, 	case they should not travel to work. Wherever possible, staff should travel to wo staff should not share transport to or from w If availing of public transport, sit down to mir handles,roofstraps,isolation bars, etc. Wear a face mask and carry hand santise throughout your journey.	rk alone using their own means of transport – ork. nimise contact with frequently touched surfaces, er (at least 60% alcohol) and use it regularly	Requires	All staff
		oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	August, 2020	Revised: March, 2021	Assessor's Name: Gearoid Nolan		
Who may be	Identified Risks	Dropping off and	picking up of pupils	Risk Rating	Action implementation

affected?		Co	ontrols	with controls	
Staff Pupils Parents/guardians Bus and taxi drivers Wider Community	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above)	to maintain, as far as is reasonably provided drivers/parents/guardians and all school staff. Where pupils travel by public transport the drop off/awaiting area (where possible) that. It is expected that there will be pre-agreed st. Parents/guardians will be encouraged to wair. Where SEN pupils are dropped off and pick adult should remain in the car/bus with the the car/bus to receive the pupil and waccompanying adult. Subject to available spat to arrive one at a time provided that those and do not interact with those accompanying and the spat at the second and the second and the second arrive one at a time provided that those and do not interact with those accompanying and the second arrive one at a time provided that those and do not interact with those accompanying and the second arrive one at a time provided that those accompanying adults.	Board of Management will provide a designated supports social distancing measures.		Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable			Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately		
Assessment Date: August, 2020 Revised: March, 2021			Assessor's Name: Gearóid Nolan		

Who may be affected?	Identified Risks	Visitors to school Controls		Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will ensure the spremises. Visits to the school will be severely restricted. Make a prior appointment of Remain at home if they follow the agreed Covice Sanitise before entering Attendance to be reconded Wear PPE if instructed Adhere to social distance Not to loiter – complete	and visitors will be asked to: ent before visiting the school have any Covid-19 symptoms d-19 protocols for the school g the premises ded on entry to building	Requires monitoring	Board of Management Principal
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable			Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately		
Assessment Date:	August, 2020	Revised: March, 2021	<u>Assessor's Name</u> : Gearóid Nolan		

Who may be affected?	Identified Risks	Management of deliveries and supplies to school Controls		Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Ensure that all delivery transactions cor Agree a delivery protocol with suppliers All deliveries to be planned with allocat Arrangements to be made for paperless System to be agreed with suppliers to expenses 	ed times for collections and deliveries s deliveries	Requires monitoring	Board of Management Principal Staff Delivery personnel
Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable		Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further action and control 16-25 Emergency risk Halt activity and review immediately			
<u>Assessment Date</u> : August, 2020 Revised: March, 2021			Assessor's Name: Gearoid Nolan		

Declaration of Sight

I have read and understand the contents of this document. Each teacher and SNA is obliged to read and to make themselves of the protocols and procedures outlined in this document. Teachers and SNAs will be asked to provide evidence that they have read and understood the document. This was introduced to all the staff during a Staff Meeting in September 2020. This Risk Assessment Document was revised by Dominic Gallagher and Gearoid Nolan on March 2021. This document is available to all on Saint Joseph's NS Shared Drive.

This Document will also be published on the School Website.